

Larue County Health Center

FOOD SERVICE ESTABLISHMENT INSPECTIONS

The rating score of the establishment is determined by subtracting weighted point values of noted violations from 100 (one hundred). Unannounced inspections observe the overall operation including food source and protection; personnel; food equipment and utensils; maintenance of water and sewage systems; garbage and refuse disposal; insect, rodent and animal control; and storage of toxic items, among others. Critical violations, 4 (four) and 5 (five) points in weight, are items which if uncorrected carry the potential to be an imminent threat to the public's health. These items must be corrected in a time designated by the health department not to exceed 10 (ten) days.

Facility name: Cleave's Meat Shack **Score:** 98
Facility address: 105 South Walters Avenue, Hodgenville
Date of inspection: 10/1/2010
Inspection type: Regular
Violations:
No hand-towels in restroom.

Facility name: Sweet Shoppe II **Score:** 100
Facility address: 100 Lincoln Square, Hodgenville
Date of inspection: 10/1/2010
Inspection type: Regular
Violations:
No noted violations.

Facility name: Laha's Red Castle **Score:** 100
Facility address: 21 Public Square, Hodgenville
Date of inspection: 10/1/2010
Inspection type: Regular
Violations:
No noted violations.

Facility name: Abe's Country Cookin' **Score:** 83 F/U 89
Facility address: 110 North Lincoln Boulevard, Hodgenville
Date of inspection: 10/6/2010
Inspection type: Regular & Follow-up
Violations:

No date code on prepared product, immediately corrected; product out of temperature; uncovered product in reach-in; 3-compartment sink leaking; no sanitizer in wiping cloth buckets; meat slicer and countertops have build-up; improper storage of in-use utensils and no ice scoop storage.

Facility name: Pizza Hut **Score:**

96

Facility address: 715 North Lincoln Boulevard, Hodgenville
Date of inspection: 10/6/2010
Inspection type: Regular

Violations:

Interior of ice machine has build-up on drip edge; clean utensils stored in unclean container, exterior of stage containers have debris and build-up; insufficient lighting in men's restroom; make table lid in disrepair.

Facility name: MAM Candies **Score:**

98

Facility address: 218 North Lincoln Boulevard, Hodgenville
Date of inspection: 10/19/2010
Inspection type: Regular

Violations:

No splash guard between hand sink and clean end of 3-compartment sink.

Facility name: Abe's Country Cooking **Score:**

91

Facility address: 110 North Lincoln Boulevard, Hodgenville
Date of inspection: 10/19/2010
Inspection type: Follow-up

Violations:

Product out of temperature; uncovered product; improper storage of ice scoop and in use utensils; improper use of 3-compartment sink and not maintained/leaking; build-up on meat slicer, counters, and equipment.

Facility name: Ayianna's Mexican Restaurant **Score:**

92

Facility address: 330 South Lincoln Boulevard, Hodgenville
Date of inspection: 10/19/2010
Inspection type: Follow-up

Violations:

Storage surfaces not routinely sanitized and maintained, heavy build-up; floor edges and corners have heavy grease and debris, build-up; evidence of insect activity.

Facility name: Learning Tree Child Development

Score: F/U 97

Facility address: 866 Old E'town Road, Hodgenville

Date of inspection: 10/20/2010

Inspection type: Regular

Violations:

Sanitizer level high and no test strips, immediately corrected; clean utensils stored in dirty container; no hand wash signs at hand sink.

Facility name: Kids Crew Learning Center

Score:

Facility address: 208 College Street, Hodgenville

Date of inspection: 10/20/2010

Inspection type: Regular

Violations:

Coating on non-stick pans in disrepair; interior of microwave has build-up; 3-compartment sink's hot water faucet not working properly.

Facility name: Bullfrogs & Butterflies

Score:

Facility address: 623 Tanner Road, Hodgenville

Date of inspection: 10/27/2010

Inspection type: Regular

Violations:

No noted violations.

Facility name: First Friends Daycare

Score:

Facility address: 521 Tanner Road, Hodgenville

Date of inspection: 10/27/2010

Inspection type: Regular

Violations:

No hand wash sign at the sink in kitchen.

Facility name:

Score:

Facility address:

Date of inspection:

Inspection type:

Violations:

Facility name:
Facility address:
Date of inspection:
Inspection type:
Violations:

Score:

Facility name:
Facility address:
Date of inspection:
Inspection type:
Violations:

Score:

Facility name:
Facility address:
Date of inspection:
Inspection type:
Violations:

Score:

Facility name:
Facility address:
Date of inspection:
Inspection type:
Violations:

Score:

